


### INTRODUCTION MARVELLO COLLECTION


Introducing the Marvello Collection Inspired by the timeless elegance of natural marble, the Marvello Collection brings a refined and modern touch to interior spaces. With a smooth, soft-gloss finish and delicate detailing, these surfaces are designed to elevate wall applications with understated luxury. From the classic Marvello to the dimensional richness of Marvello Scultura and other sculpted variations, each surface in this collection is crafted to offer depth, sophistication, and a seamless aesthetic. Ideal for creating serene, elegant interiors Marvello is where subtle beauty meets exceptional craftsmanship.



# Marvello

UNIQUE AND INNOVATIVE PERSPECTIVES


600x 1200mm MARBLE SURFACE



## EVOLVING INDUSTRY SINCE LAST YEARS

With over three decades of excellence, EVVOLUTION has established itself as a leading name in the tile industry. Our journey began with a vision to blend quality with innovation, and today, we proudly offer a wide range of tiles that reflect timeless beauty and modern sophistication. From walls to floors, interiors to exteriors, our products are designed to inspire creativity and durability. Our legacy is built on trust, precision, and a relentless commitment to evolving with trends while staying rooted in craftsmanship.

At EVVOLUTION, every tile we create tells a story — a story of passion, precision, and perfection. Our team continuously strives to push boundaries, using advanced technology and sustainable practices to deliver products that meet global standards. Whether it's a residential haven or a large commercial project, EVVOLUTION tiles promise to add elegance, character, and value to every space they touch.



#### **Icon** Indication







Infinix Series



Tilles Randon

ARMANI MAJESTIC HOPE DECOR

HARMONY SLATE



ARMANI MAJESTIC BLISS



ARMANI MAJESTIC DAWN



HARMONY MATRIX DECOR



HARMONY PEARL



HARMONY ARCS DECOR



HARMONY GLOW



HARMONY DUSK



CALACATTA HERITAGE \WHITE DECOR





CALACATTA HERITAGE WHITE



ONYX ALPINE GRID DECOR



ONYX ALPINE FOREST



ONYX ALPINE WHITE



ONYX FLORA BEIGE DECOR

### Icon Indication -



Most Trusted





New Design

Infinix Series

Tilles Random



ONYX FLORA BEIGE



ONYX FLORA GOLD



ONYX FLORA BEIGE



ONYX ROMESA OCEAN DECOR



ONYX ROMESA BLUE



CALACATTA GARIMA



VOLAKAS CAPSULE DECOR



VOLAKAS GREY



**VOLAKAS SILVER** 



ZIG ZAG BLACK



TRAVESSENCE BEIGE



TRAVESSENCE CREMA



TRAVESSENCE DARK GREY



TRAVESSENCE GREY



TRAVESSENCE GREY



ONYX FLORA GRAY



CALACATTA OLIN



CALACATTA MOZA







#### ARMANI MAJESTIC















ARMANI MAJESTIC

Finish Marble

600x 1200mm








#### HARMONY MATRIX







Back To Index >>



























Finish Marble 600x 1200mm







#### HARMONY ARCS







Back To Index»
























Finish Marble

600x 1200mm








#### CALACATTA HERITAGE WHITE







Back To Index »















CALACATTA HERITAGE WHITE DECOR

Finish Marble

600x 1200mm







#### ONYX ALPINE GRID







Back To Index»









Finish Marble

600x 1200mm







#### ONYX FLORA BEIGE







ONYX FLORA BEIGE



Back To Index »



















Finish Marble 600x 1200mm







#### ONYX FLORA GOLD

























Finish Marble

600x 1200mm







#### ONYX ROMESA OCEAN

















600x 1200mm







#### **VOLAKAS CAPSULE**


























**Finish** Marble

600x 1200mm






**MARVELLO** COLLECTION

ZIG ZAG BLACK





ZIG ZAG BLACK



Back To Index»







ZIG ZAG BLACK

Finish Marble

600x 1200mm








#### TRAVESSENCE BEIGE





TRAVESSENCE BEIGE







MARVELLO SCULTURA



TRAVESSENCE BEIGE

Finish 600x Marble 1200mm







#### TRAVESSENCE CREMA





TRAVESSENCE CREMA



Back To Index »












#### TRAVESSENCE DARK GREY





TRAVESSENCE DARK GREY
















#### TRAVESSENCE GREY





TRAVESSENCE GREY
















#### TRAVESSENCE SILVER





TRAVESSENCE SILVER



Back To Index »











#### ONYX FLORA GRAY





ONYX FLORA GRAY











ONYX FLORA GRAY

Finish Marble

600x 1200mm







#### CALACATTA OLIN





#### CALACATTA OLIN



Back To Index »









#### CALACATTA MOZA





#### CALACATTA MOZA



Back To Index»





CALACATTA MOZA

Finish Marble

600x 1200mm




#### PORCELAIN INSTALLATION GUIDE



Installing porcelain tile is a process; proper preparation of the base is an absolute necessity for a successful installation. Don't let this dissuade you from a DIY porcelain tile installation! Below are instructions on how to complete your project successfully.

#### INSTALLATION

- **1.** Begin laying the tile from the center of the room, using your reference lines as your guide.
- **2.** Spread thinset with the notched edge of a trowel. Larger
- tiles require more thin set and a larger notched trowel.
- **3.** As you lay your tile, you can use plastic spacers to help ensure you have straight grout lines. You will remove the spacers before the thinset dries.
- **4.** Clean up any excess thinset immediately using the manufacturer's instructions.
- **5.** After a few rows of tile are installed, set them with a tile level and a mallet.
- **6.** As you reach the perimeter of the room, cut and adjust tiles to complete your installation.
- **7.** Allow the tile to set according to the manufacturer's instructions. Grout the tile.
- **8.** Clean the tile surface with a damp sponge and clean water.



#### **PREPARE**

- 1. The success and longevity of tile installation relies on a solid base. Unless you are dealing with new construction, this usually means removing the original flooring material before you install your new tile.
- 2. Ceramic and porcelain tile should be installed on a clean, level and rigid floor. If your floors flex or have uneven areas, repair and add support where needed. Follow up with a cement board or fiber cement underlayment. Both are resilient to moisture and impervious to liquids.
- **3.** Choose your installation pattern. There are an endless number of options, and the pattern should reflect the overall tone and look you are trying to achieve.

- **4.** Map out your installation. Measure to find the center of a room on two opposite walls and use these points to snap a chalk line across the room. Do the same on the other walls to create perpendicular line, and check to make sure they are square.
- **5.** Dry fit your tile starting from center point, leaving enough spacing for grout joints. The goal is to work with as many full tiles as possible.

#### **MAINTENANCE TIPS**

As with any flooring material, general cleaning techniques of porcelain and ceramic tile depend on the surface, texture and condition of the surface. Water and a soft sponge will usually be enough to clean the surface of MS International ceramic and porcelain products.

If you clean with something other than water, however, opt for a neutral pH cleaner that will not affect the finish. You can find neutral cleaners at most home centers and tile showrooms. Always test the cleaner on a small area first. If tile or stone is heavily soiled, we recommend that a professional cleaning company determines the proper cleaning technique.

#### **FORMAT SYMBOLE**













Random



Porcelain Tiles

Wall

Floor

Faces

Polished Surface

Thickness

#### **TECHNICAL FEATURES**



Color Range







Thermal Shock Resistance



Scratch Resistance



Resistance to Stains



Easy Cleaning



Heat Proof



Chemicals Resistance

#### **APPLICATION**



Kitchen Countertop



Staircase



Dining Table



Office Table



Living Room



Table Top



Furniture



Door/Window Frame

#### **TECHNICAL SPECIFICATION**

TEST DESCRIPTION	TEST METHOD	ISO STANDARD 13006 B1A TILES	VALUE
Length And Width	BS EN ISO 10545-2	± 0.6%	± 0.3%
Thickness	BS EN ISO 10545-2	± 5.0%	± 3.0%
Straightness Of Sides	BS EN ISO 10545-2	± 0.5%	± 0.3%
Rectangularity	BS EN ISO 10545-2	± 0.6%	± 0.3%
Surface Flatness	BS EN ISO 10545-2	± 0.5%	± 0.3%
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.05%
Breaking Strength	BS EN ISO 10545-4	≤ 1300N	≤ 1500N
Modulus Of Repture	BS EN ISO 10545-4	≤ 35N/MM²	≤ 45N/MM²
Resistance To Deep Abrasion	BS EN ISO 10545-6	≤ 175MM³	≤ 150MM³
Linear Thermal Expansion	BS EN ISO 10545-8	≤ 9x10 <sup>-8</sup> °C1	≤ 7x10 <sup>-6</sup> °C¹
Thermal Shock Resistance	BS EN ISO 10545-9	No Visible Defect	No Visible Defect
Frost Resistance	BS EN ISO 10545-12	Frost Proof	Frost Proof
Resistance To Chemicals	BS EN ISO 10545-13	No Visible Effect	No Visible Effect
Resistance To Stains	BS EN ISO 10545-14	Manufacturer To State Class	Stains Removed Min Class <sup>2</sup>
Colour Resistance	BS EN ISO 10545-16	No Damage	No Damage
Colour Resistance To UV Light	DIN 51094	No Change In Color	No Change In Color
Scratch Hardness (MOH's Scale)	EN 101	≥ 6 MOH'S	≥7 MOH'S
Surface Quality	BS EN 10545-2	Min. 95%	No Visible Effect
Skid Resistance (friction Co-efficient)	BS EN 10545-17	>0.4	>0.4
Moisture Expansion	-	Nill	Nill

DISCLAIMER: Evvolution reserves the right to delete and amend, either totally or partially, any of the colours, shapes, sizes. references and other technical specifications contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing processes, Please refer to the sample before the final selection, The details of sizes, colours and references should be verified for typographical errors.



#### **EVVOLUTION**

Lakhdhirpur Road, 8-A National Highway, Morbi, Gujarat - 363642 (INDIA).

care@evvolution.com www.evvolution.com

